



METHOCEL™ CP 1071

Cellulose Ether

General Description

METHOCEL CP 1071 is a modified cellulose ether for the construction industry.

Industrial Applications

This product was designed mainly for use in cement-based spray plasters. It imparts high water retention to the plaster combined with excellent workability. Additionally the product provides an good sagging resistance.

Typical Properties

Viscosity Brookfield RV (mPa·s) 1% in water @ 20° C and 20 rpm	4800
Viscosity Brookfield RV (mPa·s) 2% in water at 20 °C and 20 rpm	38000
Moisture Content (%)	< 6.0
Sodium Chloride (%)	< 2.0
Particle Size (%) < 70 U.S. Standard Sieve, 212 μm	> 95

Safety and Handling

For specific safe use and handling information, or to obtain a Materials Safety Data Sheet, contact your local Dow representative.

Contact us:

North America: 1-800-447-4369
 Latin America: (+55) 11-5188-9222
 Europe, Middle East,
 India, Africa: (+32) 3-450-2240
 Asia: (+60) 3-7958-3392
www.methocel.com

NOTICE: No freedom from any patent owned by Seller or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other governmental enactments. Seller assumes no obligation or liability for the information in this document. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.